14 pages

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	163	applet same (secure near3 (connection or access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 10:35
S2	1	("6023708").PN.	USPAT; USOCR	OR	OFF	2004/06/18 12:10
S3	1	("6085192").PN.	USPAT; USOCR	OR	OFF	2004/06/17 16:30
S4	1	("6131116").PN.	USPAT; USOCR	OR	OFF	2004/06/17 16:30
S5	632	((authorized or authenticated) near5 (process or applet or application or code or program)) with (access near3 (resource or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 19:00
S6	14	((authorized or authenticated) near5 (process or applet)) with (access near3 (resource or application)) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 12:53
S7	85	authorized with applet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 19:07
S8	9	(authorized with applet) same ((request\$3 or access\$3) near4 (resource or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 12:54
S9	642	applet with ((access\$3 or request\$3) near3 (resource or application or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:24
S10	439	applet near5 ((access\$3 or request\$3) near3 (resource or application or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 19:32
S11	88	(applet near5 ((access\$3 or request\$3) near3 (resource or application or data))) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 13:05

S12	18	"5847957".URPN.	USPAT	OR	ON	2005/02/03 13:07
S13	25	("5204947" "5239466" "5283861" "5315711" "5349675" "5479599" "5483631" "5497463" "5699494" "5715453" "5727135" "5727155" "5742759" "5761421" "5761656" "5778356" "5801689" "5801707" "5802530" "5805442" "5812826" "5845299" "5847957" "5949412" "5956036").PN.	USPAT	OR	ON	2005/02/03 13:12
S14	21	"electronic badge" and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 13:12
S15	8155	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229.ccls.	USPAT	OR	ON	2004/06/19 14:02
S16	145	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229.ccls. and ((applet or activex or "active x") same (authenticat\$3 or authoriz\$5))	USPAT	OR	ON	2005/02/03 13:22
S17	21	713/185.ccls. and (applet or activex or "active x")	US-PGPUB; USPAT	OR	ON	2005/02/03 13:35
S18	65	713/185.ccls. and (access near2 (control or right or level)) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03 13:54
S19	10	713/185.ccls. and ((security or access or authorization or credential) near2 token) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03 13:56
S20	46	713/185.ccls. and ("smart card" or "ic card" with badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03 13:57
S21	0	713/185.ccls. and (("smart card" or "ic card") with badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03 13:58
S22	0	713/185.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03 13:58
S23	4	713/185.ccls. and badge and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03 13:58

				1		
S24	2	713/201-202.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03 13:59
S25	5	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229.ccls. and ((applet or activex or "active x") with (credential or privilege or (access near2 level))) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03 13:59
S26	1	("5815574").PN.	USPAT; USOCR	OR	OFF	2004/06/19 13:24
S27	8155	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229.ccls.	USPAT	OR	ON	2004/06/19 14:02
S28	60	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229.ccls. and passport	USPAT	OR	ON	2005/02/03 14:01
S29	2	("5710817" "5835595").PN.	USPAT	OR	ON	2004/06/19 14:13
S30	5	"6005939".URPN.	USPAT	OR	ON	2005/02/03 14:09
S31	13	("5081678" "5452433" "5455953" "5463690" "5623546" "5671279" "5719942" "5724423" "5737414" "5737422" "5784463" "5835595" "5852666").PN.	USPAT	OR	ON	2005/02/03 14:10
S32	27	((electronic or digital) near2 passport) same (privilege or credential or access or authoriz\$5 or authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:11
S33	1	("6587836").PN.	USPAT; USOCR	OR	OFF	2004/06/19 17:21
S34	9	riggins-mark-d.in.	US-PGPUB; USPAT	OR	ON	2005/02/03 14:13
S35	1	("6708221").PN.	USPAT; USOCR	OR	OFF	2004/06/25 14:38
S36	336	(certificate or credential or sso or (single adj sign\$1on)) near5 ((id or identi\$8) near3 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:15
S37	10	"6055637".URPN.	USPAT	OR	ON	2004/06/25 15:05
S38	4	("4471216" "5005200" "5534855" "5757920").PN.	USPAT	OR	ON	2005/02/03 15:04

S39	134	(certificate or token or passport or cookie) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:15
S40	5	(applet or "active x" or activex) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:23
S41	1	("6711681").PN.	USPAT; USOCR	OR	OFF	2004/06/28 08:13
S42	7	("5710817" "5774551" "5848412" "6023762" "6035406" "6105132" "6304973").PN.	USPAT	OR	ON	2005/02/04 18:21
S43	552	(privilege or credential or "access right") near5 (chang\$3 or alter\$3 or adjust\$3)	USPAT	OR	ON	2004/06/28 08:15
S44	11	(privilege or credential or "access right") with (dynamic\$4 near3 (chang\$3 or alter\$3 or adjust\$3 or add\$3 or remov\$3))	USPAT	OR	ON	2005/02/04 18:21
S45	1	("4135240").PN.	USPAT; USOCR	OR	OFF	2004/06/28 08:19
S46	23	(privilege or credential or "access right") with (dynamic\$4 near3 (chang\$3 or alter\$3 or adjust\$3 or add\$3 or remov\$3 or augment\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:23
S47	27	(end\$3 or terminat\$3 or kill\$3 or destroy\$3 or remov\$3 or delet\$3) near4 (certificate or cookie or passport or credential or privilege or "access right") with (instruc\$3 or order\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 08:25
S48	41	(certificate or cookie or passport or credential or privilege or "access right" or applet) near3 (expir\$5 or invalid) with (destroy\$3 or discard\$3 or remov\$3 or delet\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:24
S49	37	(regist\$6 near4 (telephone or phone)) with (assign\$3 near3 (password or code or secret or passphrase or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:25
S50	53	(regist\$6 near4 (telephone or phone)) same ((assign\$3 or distribut\$3) near3 (password or code or secret or passphrase or (\$cryption adj key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:27

S51	16	(password near3 (assign\$3 or distribut\$3)) with \$phone same regist\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:29
S52	114	705/76.ccls.	USPAT	OR	ON	2004/06/28 08:45
S53	1940	((user or buyer or subscriber or customer) near4 (regist\$5 or enroll\$4 or subscri\$5)) same ((via or using or over) near5 \$phone) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 08:50
S54	98	(((user or buyer or subscriber or customer) near4 (regist\$5 or enroll\$4 or subscri\$5)) same ((via or using or over) near5 \$phone) and @ad<"19980401") and ((receiv\$3 or acquir\$3 or assign\$3 or distribut\$3) near3 (password or (\$cryption key)) same \$phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:32
S19 2	192	applet same (secure near3 (connection or access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:36
S19 3	14	((authorized or authenticated) near5 (process or applet)) with (access near3 (resource or application)) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:43
S19 4	9	(authorized with applet) same ((request\$3 or access\$3) near4 (resource or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:50
S19 5	88	(applet near5 ((access\$3 or request\$3) near3 (resource or application or data))) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:53
S19 6	21	"5847957".URPN.	USPAT	OR	ON	2005/02/03 13:07

S19	25	("5204947" "5239466"	USPAT	OR	ON	2005/02/03 13:12
7		"5283861" "5315711" "5349675" "5479599" "5483631" "5497463" "5699494" "5715453" "5727135" "5727155" "5742759" "5761421" "5761656" "5778356" "5801689" "5801707" "5802530" "5805442"				
		"5812826" "5845299" "5847957" "5949412" "5956036").PN.				
S19 8	21	"electronic badge" and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:59
S19 9	155	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229.ccls. and ((applet or activex or "active x") same (authenticat\$3 or authoriz\$5))	USPAT	OR	ON	2005/06/13 11:12
S20 0	27	713/185.ccls. and (applet or activex or "active x")	US-PGPUB; USPAT	OR	ON	2005/06/13 11:15
S20 1	66	713/185.ccls. and (access near2 (control or right or level)) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:18
S20 2	11	713/185.ccls. and ((security or access or authorization or credential) near2 token) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:19
S20 3	46	713/185.ccls. and ("smart card" or "ic card" with badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:19
S20 4	0	713/185.ccls. and (("smart card" or "ic card") with badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:19
S20 5	0	713/185.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:20
S20 6	4	713/185.ccls. and badge and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:20
S20 7	2	713/201-202.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:21

S20 8	6	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229.ccls. and ((applet or activex or "active x") with (credential or privilege or (access near2 level))) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:22
S20 9	74	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229.ccls. and passport	USPAT	OR	ON	2005/06/13 11:25
S21 0	8	"6005939".URPN.	USPAT	OR	ON	2005/02/03 14:09
S21 1	13	("5081678" "5452433" "5455953" "5463690" "5623546" "5671279" "5719942" "5724423" "5737414" "5737422" "5784463" "5835595" "5852666").PN.	USPAT	OR	ON	2005/02/03 14:10
S21 2	34	((electronic or digital) near2 passport) same (privilege or credential or access or authoriz\$5 or authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 11:26
S21 3	11	riggins-mark-d.in.	US-PGPUB; USPAT	OR	ON	2005/06/13 11:40
S21 4	130	(certificate or credential or sso or (single adj sign\$1on)) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 11:40
S21 5	4	("4471216" "5005200" "5534855" "5757920").PN.	USPAT	OR	ON	2005/02/03 15:04
S21 6	156	(certificate or token or passport or cookie) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 11:56
S21 7	6	(applet or "active x" or activex) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:05
S21 8	7	("5710817" "5774551" "5848412" "6023762" "6035406" "6105132" "6304973").PN.	USPAT	OR	ON	2005/02/04 18:21
S21 9	13	(privilege or credential or "access right") with (dynamic\$4 near3 (chang\$3 or alter\$3 or adjust\$3 or add\$3 or remov\$3))	USPAT	OR	ON	2005/06/13 12:08

- -		¥				
S22 0	25	(privilege or credential or "access right") with (dynamic\$4 near3 (chang\$3 or alter\$3 or adjust\$3 or add\$3 or remov\$3 or augment\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:27
S22 1	44	(certificate or cookie or passport or credential or privilege or "access right" or applet) near3 (expir\$5 or invalid) with (destroy\$3 or discard\$3 or remov\$3 or delet\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:31
S22 2	40	(regist\$6 near4 (telephone or phone)) with (assign\$3 near3 (password or code or secret or passphrase or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:32
S22 3	60	(regist\$6 near4 (telephone or phone)) same ((assign\$3 or distribut\$3) near3 (password or code or secret or passphrase or (\$cryption adj key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:27
S22 4	18	(password near3 (assign\$3 or distribut\$3)) with \$phone same regist\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:35
S22 5	98	(((user or buyer or subscriber or customer) near4 (regist\$5 or enroll\$4 or subscri\$5)) same ((via or using or over) near5 \$phone) and @ad<"19980401") and ((receiv\$3 or acquir\$3 or assign\$3 or distribut\$3) near3 (password or (\$cryption key)) same \$phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:38
S22 6	42	applet same (secure near3 (connection or access)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:16
S22 7	14	((authorized or authenticated) near5 (process or applet)) with (access near3 (resource or application)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:19
S22 8	0	(authorized with applet) same ((request\$3 or access\$3) near4 (resource or application)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/01/03 16:20

S22 9	89	(applet near5 ((access\$3 or request\$3) near3 (resource or application or data))) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:21
S23 0	0	"electronic badge" with password and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:57
S23 1	71	applet with password and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:59
S23 2	4698	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229.ccls. and (@ad<"19980401" or @rlad<"19980401")	USPAT	OR	ON	2006/01/03 17:28
S23 3	72	S232 and ((applet or activex or "active x") same (authenticat\$3 or authoriz\$5))	USPAT	OR	ON	2006/01/03 17:30
S23 4	2	713/185.ccls. and (@ad<"19980401" or @rlad<"19980401") and (applet or activex or "active x")	US-PGPUB; USPAT	OR	ON	2006/01/03 18:02
S23 5	66	713/185.ccls. and (access near2 (control or right or level)) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/01/03 18:03
S23 6	11	713/185.ccls. and ((security or access or authorization or credential) near2 token) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/01/03 18:03
S23 7	46	713/185.ccls. and ("smart card" or "ic card" with badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/01/03 18:04
S23 8	0	713/185.ccls. and (("smart card" or "ic card") with badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:19
S23 9	0	713/185.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/01/03 18:04
S24 0	4	713/185.ccls. and badge and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:20
S24 1	2	713/201-202.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:21

S24 2	6	S232 and ((applet or activex or "active x") with (credential or privilege or (access near2 level)))	US-PGPUB; USPAT	OR	ON	2006/01/03 17:39
S24 3	41	S232 and passport	USPAT	OR	ON	2006/01/03 18:05
S24 4	7	((electronic or digital) near2 passport) same (privilege or credential or access or authoriz\$5 or authenticat\$3) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:07
S24 6	11	riggins-mark-d.in.	US-PGPUB; USPAT	OR	ON	2006/01/03 18:08
S24 7	20	(certificate or credential or sso or (single adj sign\$1on)) near5 ((id or identi\$8) near3 password) and (@ad<"19980401" or @rlad<"19980401")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:08
S24 8	44	(certificate or token or passport or cookie) near5 ((id or identi\$8) near3 password) and (@ad<"19980401" or @rlad<"19980401")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:12
S24 9	6	(applet or "active x" or activex) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:05
S25 1	60	(privilege or credential or "access right") with (dynamic\$4 near3 (chang\$3 or alter\$3 or adjust\$3 or add\$3 or remov\$3 or augment\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:28
S25 2	13	S251 and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:28
S25 3	27	(certificate or cookie or passport or credential or privilege or "access right" or applet) near3 (expir\$5 or invalid) with (destroy\$3 or discard\$3 or remov\$3 or delet\$4) and (@ad<"19980401" or @rlad<"19980401")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:31

S25 4	20	(password near3 (assign\$3 or distribut\$3)) with \$phone same regist\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:35
S25 6	98	(((user or buyer or subscriber or customer) near4 (regist\$5 or enroll\$4 or subscri\$5)) same ((via or using or over) near5 \$phone)) and ((receiv\$3 or acquir\$3 or assign\$3 or distribut\$3) near3 (password or (\$cryption key)) same \$phone) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:38
S25 7	1	("6400619").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 16:38
S25 8	54	applet same (secure near3 (connection or access)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:20
S25 9	14	((authorized or authenticated) near5 (process or applet)) with (access near3 (resource or application)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:47
S26 0	0	(authorized with applet) same ((request\$3 or access\$3) near4 (resource or application)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:49
S26 1	91	(applet near5 ((access\$3 or request\$3) near3 (resource or application or data))) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:50
526 2	0	"electronic badge" with password and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:51
S26 3	76	applet with password and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:52

S26 5	4960	713/153,155-157,164-167,182, 185, 189;726/2-12;705/54;709/203, 217,219,227,229.ccls. and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT	OR	ON	2006/01/03 17:29
S26 6	85	S265 and ((applet or activex or "active x") same (authenticat\$3 or authoriz\$5))	US-PGPUB; USPAT	OR	ON	2006/06/12 10:56
S26 7	6	S265 and ((applet or activex or "active x") with (credential or privilege or (access near2 level)))	US-PGPUB; USPAT	OR	ON	2006/06/12 10:56
S26 8	2	713/185.ccls. and (@ad<"19980401" or @rlad<"19980401") and (applet or activex or "active x")	US-PGPUB; USPAT	OR	ON	2006/01/03 18:02
S27 0	11	713/185.ccls. and ((security or access or authorization or credential) near2 token) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/06/12 11:01
S27 2	0	713/185.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/01/03 18:04
S27 3	47	S265 and passport	US-PGPUB; USPAT	OR	ON	2006/06/12 11:09
\$27 4	7	((electronic or digital) near2 passport) same (privilege or credential or access or authoriz\$5 or authenticat\$3) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 11:10
S27 5	11	riggins-mark-d.in.	US-PGPUB; USPAT	OR	ON	2006/01/03 18:08
S27 7	28	(certificate or credential or sso or (single adj sign\$1on)) near5 ((id or identi\$8) near3 password) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 11:13
S27 8	68	(certificate or token or passport or cookie) near5 ((id or identi\$8) near3 password) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 11:15
S27 9	59	applet same (secure near3 (connection or access)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:21

S28 0	14	((authorized or authenticated) near5 (process or applet)) with (access near3 (resource or application)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:47
S28 1	0	(authorized with applet) same ((request\$3 or access\$3) near4 (resource or application)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:49
S28 2	93	(applet near5 ((access\$3 or request\$3) near3 (resource or application or data))) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:50
S28 3	0	"electronic badge" with password and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:51
S28 4	80	applet with password and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:53
S28 5	5050	713/153,155-157,164-167,182, 185, 189;726/2-12;705/54;709/203, 217,219,227,229.ccls. and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT	OR	ON	2006/06/12 10:56
S28 6	86	S285 and ((applet or activex or "active x") same (authenticat\$3 or authoriz\$5))	US-PGPUB; USPAT	OR	ON	2006/06/12 10:56
S28 7	6	S285 and ((applet or activex or "active x") with (credential or privilege or (access near2 level)))	US-PGPUB; USPAT	OR	ON	2006/06/12 10:56
S28 8	66	713/185.ccls. and (access near2 (control or right or level)) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/06/12 10:58
S28 9	11	713/185.ccls. and ((security or access or authorization or credential) near2 token) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/06/12 11:01
S29 0	46	713/185.ccls. and ("smart card" or "ic card" with badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/06/12 11:02

6/13/06 5:34:35 PM

S29 1	48	S285 and passport	US-PGPUB; USPAT	OR	ON	2006/06/12 11:09
S29 2	7	((electronic or digital) near2 passport) same (privilege or credential or access or authoriz\$5 or authenticat\$3) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 11:10
S29 3	30	(certificate or credential or sso or (single adj sign\$10n)) near5 ((id or identi\$8) near3 password) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 11:14
529 4	71	(certificate or token or passport or cookie) near5 ((id or identi\$8) near3 password) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 11:16
S29 5	115	(certificate token passport cookie) with ((id or identi\$8) with password same (authenticat\$3 authoriz\$5 log\$4 access\$3)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 11:18

6/13/06 5:34:35 PM
C:\Documents and Settings\MDinh\My Documents\EAST\Workspaces\09647547 Electronic Badges Using Applet.wsp